	Application No.	Applicant(s)
Notice of Allowability	10/670,377	HASEYAMA ET AL.
	Examiner	Art Unit
	Emily Y. Chan	2829
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>12/07/07</u> .		
2. The allowed claim(s) is/are <u>20</u> .		
 3.		
2. Certified copies of the priority documents have been received in Application No. 09/333,984		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	E Notice of Informal E	Patent Application
1. Notice of References Cited (PTO-892)	 5. ☐ Notice of Informal F 6. ☐ Interview Summary 	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Da	te
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance
	о. 🗀 Ошег	
		•

Application/Control Number: 10/670,377

Art Unit: 2829

DETAILED ACTION

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

On page 1 of the specification, under the title, inserted

---- CROSS-REFERENCE TO RELATED APPLICATIONS----

This case is a divisional of application Ser. No. 10/308025, filed on Dec. 3,2002, now patent No. 6,643,922, which is a divisional of application Ser. No. 09/333984, filed on Jun. 16,1999, now patent No. 6,512,386.

Allowable Subject Matter

Claim 20 is allowed over the prior art.

The following is a statement of reasons for the indication of allowable subject matter:

Claim 20 is allowed because the examiner found out that applicants' argument in the Remarks filed on 12/7/07 is persuasive. Applicants argued that the references Gleason in view of Hino does not teach or suggest "the wiring board being directly reinforced by a reinforcing member" (see last paragraph, page 2 of the Remark).

Applicants also argued that Gleason in view of Hino does not teach or suggest "the wiring board and the reinforcing member collectively molded and bonded to each other" (see third paragraph, page 3 of the Remarks).

Application/Control Number: 10/670,377

Art Unit: 2829

During further search, the examiner found out that the prior art in the record does not teach or suggest a device testing contactor comprising the wiring board and the reinforcing member collectively molded and bonded each other.

Page 3

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emily Y. Chan whose telephone number is 571-272-1956. The examiner can normally be reached on 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ha T Nguyen can be reached on 571-272-1678. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

the

HA TRAN NGUYEN
SUPERVISORY PATENT EXAMINER

EC 1/10/07